



Accessories

- Ordering adapters up to max. 400 bar
- Ordering adapters up to max. 1,000 bar
- Ordering adapters up to max. 1,500 bar
- Ordering adapters up to max. 2,000 bar
- Ordering adapters up to max. 3,000 bar
- Ordering HF4 adapters up to max. 4,000 bar



High pressure fittings

▲ Ordering adapters up to max. 400 bar

Model no.	Description
030135-02-04	1/8"BSPx1/4"BSP adapter
030136-02-02	1/8" BSP x 1/8" BSP adapter
400-820-4490	1/8" BSP bonded seal
030136-04-04	1/4" BSP x 1/4" BSP adapter
400-821-4490	1/4" BSP bonded seal
030136-06-06	3/8" BSP x 3/8" BSP adapter
400-823-4490	3/8" BSP bonded seal
030136-08-08	1/2" BSP x 1/2" BSP adapter
400-825-4490	1/2" BSP bonded seal
030136-08-08	1/2"BSPx1/2"BSP adapter
400-825-4490	1/2"BSP bonded seal

▲ Ordering adapters up to max. 1,000 bar

Model no.	Description
2-816	1/4" BSP - HF4 adapter
2-817	7/16-20 UNF - HF4 adapter
2-819	1/4" BSP adapter
2W-816	1/4" BSP adapter, stainless
2W-817	1/4" BSP bonded seal, stainless
4W-818	3/8" BSP bonded seal, stainless
4W-819	1/4" BSP adapter, stainless
6-811	1/2" BSP x 1/2 BSP adapter, max. 800 bar
10-115-1202	1/4" BSP female coupling
10-115-6202	1/4" BSP female nipple
19-950-1621	1/4" BSP x 1/4" BSPT adapter
19-950-1622	1/4" BSP x 1/4" BSP adapter

▲ **Ordering adapters up to max. 1,500 bar**

Model no.	Description
10-116-1202	1/4" BSP female coupling
10-116-6202	1/4" BSP female nipple


▲ **Ordering adapters up to max. 2,000 bar**

Model no.	Description
7-431	Seal HC7 adapter
7-432	HP adapter 9/16-18 UNF
7-433	HP adapter 1/4" BSP
7-434	HP plug
7-835	HP adapter 1/4" BSP – HF9
8W-816	1/4" BSP with cone female coupling – HF4 adapter
10-125-1202	1/4" BSP with cone female coupling
10-125-6202	1/4" BSP with cone female nipple
19-950-0029	1/4" BSP with cone x 9/16-18 UNF adapter
19-950-0061	1/8" BSP bonded seal
19-950-0062	1/4" BSP bonded seal

▲ **Ordering adapters up to max. 3,000 bar**

Model no.	Description
10-135-1505	M16 x 1.5 with cone female coupling
10-135-6505	M16 x 1.5 with cone female nipple
19-950-1601	1/4" BSP x 1/4" BSP adapter with cones
19-950-1602	1/4" BSP with cone x 1/4" BSP adapter
19-950-1612	M16 x 1.5 x M16 x 1.5 adapter with cones
19-950-1612	M16x1.5 x M16x1.5 adapter with cones
19-950-1619	M16 – HF4

▲ Ordering HF4 adapters up to max. 4,000 bar



8-107 / 28.09.04

Model no.	Description
HC8-HF4	Gauge connection kit
8-815	30UV91V needle valve max 2,000 bar
8-817	60X4-316 cross
8-820	60C4-316 collar
8-821	60G4-316 gland
8-822	60N442-316 nipple
8-823	60P4 plug
8-824	Needle valve max. 2,000 bar
8-825	Needle valve max. 4,000 bar
8-826	60LF4-20/10 filter
8-827	60SCF4-20 filter
8-828	60BC4 hard seat check valve
8-829	60SC4 soft seat check valve
8-848	M12x1.5 transducer max. 2200 bar
8-837	Gauge 0 - 250 bar
8-838	Gauge 0 - 1,000 bar
8-839	Gauge 0 - 1,500 bar
8-841	Gauge 0 - 2,000 bar
8-842	Gauge 0 - 2,500 bar
8-843	Gauge 0 - 3,000 bar
8-844	Gauge 0 - 3,500 bar
8-845	Gauge 0 - 4,000 bar
8-847	Gauge 0 - 5,000 bar

